


CIRCUIT DIAGRAM




TRANSISTORS & ICs

Q 201, Q 202	TA7081P
Q 206, Q 301, Q 302, Q 303	2SC381R
Q 207, Q 213, Q 214	2SC693GU
Q 215, Q 216	2SC693GU
Q 203, Q 204, Q 205, Q 208	2SC537E/F
Q 209, Q 210, Q 304	2SC537E/F
Q 211, Q 212	2SB187
DIODES	
D 201, D 202, D 203, D 205	1S18X(Ge)
D 206, D 207, D 208, D 209	1S18X(Ge)
D 209, D 210, D 211, D 212	1S18X(Ge)
D 213, D 304, D 305, D 306	1S18X(Ge)
D 204, D 302, D 303	KB265(Si)
D 301	KB165(Si)
D 214	10DC-K(Si)

NOTES

1	PL1	STEREO INDICATOR
2	PL2, PL3, PL4, PL5	DIAL ILLUMINATIONS
3	VR201	FM MUTING ADJ.
4	VR202	SEPARATION ADJ.
5	VR203	BALANCE ADJ.
6	VR301	AM AGC ADJ.
7	VR302	AM MUTING ADJ.
8	VR303	AM AGC ADJ.
9	T 201	V4FC220076BJK
10	T 202	TKAC-14733K
11	T 203	CAN-1310QH2
12	T 204	CAN-130BCY02
13	T 205, T 207	CAN-1309CY02
14	T 206	CAN-1089HM2
15	T 208	CAN-1311HM2
16	T 301	YXR189096N

- T 302..... V6AC20025AA
- T 303..... V6AC20028HBA
- T 304..... YMC-15002A
- ALL RESISTOR IN OHMS (K=X10³; M=X10⁶) 1/4W, ±10%
- ALL CAPACITORS IN MICRO FARADS P=X10⁻¹²
- TRANSISTORS AND DIODES MAY BE REPLACED WITH ANY TYPES HAVING COMPARABLE RATINGS.
- VOLTAGES MEASURED WITH "VTVM" WITH NO SIGNAL INPUT.
- THERE MIGHT BE SLIGHT CHANGES IN THE ACTUAL SET.



CONNECTIONS FOR POWER SUPPLY VOLTAGE SELECTOR (VIEWED FROM BOTTOM)

WL717